ELSEVIER

Dyes and Pigments 42 (1999) I–II

DYES and PIGMENTS

Contents of Volume 42

Number 1

1 Editorial: Dedication to Geoffrey Hallas
J.D. HEPWORTH (UK)

3 Developments in azo disperse dyes derived from heterocyclic diazo components
A.D. TOWNS (UK)

29 Light absorption and stability properties of some near-IR indamine dyes related to Bindschedler's green
J. GRIFFITHS, R. COX (UK)

35 An NMR investigation of the merocyanine dyes generated by protolysis of some novel spironaphthopyranoindoles
C.D. GABBUTT, J.D. HEPWORTH & B.M. HERON (UK)

45 Phenothiazine photosensitizers: part 2. 3,7-Bis(arylamino)phenothiazines
M. WAINWRIGHT, N.J. GRICE & L.E.C. PYE (UK)

53 Disperse dyes containing a built-in oxalanilide stabilizer
H.S. FREEMAN, M.E. MASON & J. LYE (USA)

65 Triphenylmethane dyes containing the *N*-methyl-*N*-2,2,2-trifluoroethyl group
L. ARMSTRONG & A.M. JONES (UK)

71 A kinetic study of the hydrolysis of crystal violet and some terminal and bridged analogues
S.F. BEACH, J.D. HEPWORTH, D. MASON & E.A. SWARBRICK (UK)

79 A study of a highly efficient resonance energy transfer between 7-*N*,*N*-diethylamino-4-methylcoumarin and 9-butyl-4-butylamino-1,8-naphthalimide
B. MAY, X. POTEAU, D. YUAN & R.G. BROWN (UK)

85 Studies of fluorescent dyes: part 1. An investigation of the electronic spectral properties of substituted coumarins
R.M. CHRISTIE & C.-H. LUI (UK)

95 Fluorescence quenching by intermolecular π–π interactions of 2,5-bis(*N*,*N*-dialkylamino)-3,6-dicyanopyrazines
K. SHIRAI, M. MATSUOKA & K. FUKUNISHI (Japan)

103 The degree of crystal aggregation in organic pigments
R.R. MATHER (UK)

107 X-ray crystal structure of C.I. Disperse Yellow 86
J. LYE, H.S. FREEMAN, M.E. MASON & P. SINGH (USA)

0143-7208/99/$ - see front matter © 1999 Elsevier Science Ltd. All rights reserved.

Number 2

113 Solution electrochemistry of indolenium squarylium cyanine dyes
L. TONG, P. BI-XIAN, F. LOU-ZHEN, L. YONG-FANG, B. FENG-LIAN (People's Republic of China), P. ZHENG-HONG H. GEISE (Belgium)

117 Synthesis and characterization of phthalocyanines containing 4-allyl-2-methoxyphenyl moieties
S. ŞAŞMAZ, E. AĞAR & A. AĞAR (Turkey)

123 The use of artificial neural network (ANN) for modeling of the H_2O_2/UV decoloration process: part I
Y.M. SLOKAR, J. ZUPAN & A.M.L. MARECHAL (Slovenia)

137 Synthesis and characterization of phthalocyanines containing phenothiazine moieties
S. ŞAŞMAZ, E. AĞAR & A. AĞAR (Turkey)

143 Reactivity and effects of cyclodextrins in textile dyeing
P. SAVARINO, G. VISCARDI, P. QUAGLIOTTO, E. MONTONERI & E. BARNI (Italy)

149 Photophysical properties of polyads containing a fluorescein moiety
A. SONG, H. ZHANG, M. ZHANG & T. SHEN (People's Republic of China)

159 Effects of fluorination on the properties of organic pigments
G. CHISHOLM, B. HAY, K.D.M. HARRIS, S.J. KITCHIN & K.M. MORGAN (UK)

173 Synthesis and optical properties of an azo metal chelate compound for optical recording medium
S. WANG, S. SHEN, H. XU, D. GU, J. YIN & X. TANG (People's Republic of China)

179 Pretreatment of cotton to enhance its dyeability: Part 2. Direct dyes
S.M. BURKINSHAW & A. GOTSOPOULOS (UK)

197 Erratum

Number 3

199 UV/H_2O_2 oxidation of azodyes in aqueous media: evidence of a structure—degradability relationship
C. GALINDO & A. KALT (France)

209 Synthesis and characterization of dyes exemplified by 2-arylidene-1-dicyanomethyleneindane
A.M. ASIRI (Saudi Arabia)

215 Structure and properties of new classes of coupled polymethine dyes
N. TYUTYULKOV, F. DIETZ (Germany), A. IVANOVA (Bulgaria) & K. MÜLLEN (Germany)

223 Structural analysis of a dithiosquarylium dye
S.-H. KIM, S.-K. HAN, W.-T. LIM, N.-H. HEO & H.-C. SONG (South Korea)

227 Iron complexed dyes based on 1,5-diaryl-3-cyanoformazanes
M. SZYMCZYK, W. CZAJKOWSKI & R. STOLARSKI (Poland)

237 Effect of the sulphonic group position on the properties of urea dyes
K. WOJCIECHOWSKI & J. SZADOWSKI (Poland)

249 Synthesis and spectral properties of azo dyes derived from 2-aminothiophenes and 2-aminothiazoles
G. HALLAS (UK) & J.-H. CHOI (Korea)